




**CO15/30/60/80/100**

**Versatile and functional commercial vacuum cleaners of 13, 25, 43, 80 and 110 litres**

  
**COMVAC**  
*professional people*



## CA15.

**Especially suitable for environments where low-noise levels, air quality and user-friendliness are absolutely necessary: hotels, hospitals, retirement homes.**

CA15 is a single-stage vacuum cleaner available in three versions: CA15 ECO, CA15 PLUS and CA15 SILENZIO. It features technical innovations ensuring

effective vacuum cleaning and returns the environment clean air.



CA15 ECO

CA15 PLUS

CA15 SILENZIO

### CA15 ECO

**Practical, robust vacuum cleaner.**

Extremely compact and quiet, 59 dB (A), it's the ideal tool for cleaning operations, where ease-of-use and quietness are essential.

Sturdy and with a powerful motor, it allows you to work continuously over time, without interruptions.



Exhaust air is filtered in order to retain any possible residue from the motor brushes



Inlet air is filtered by the double-layer filter bag and the sponge filter. A cartridge filter is also available as an optional accessory



Easy-to-use switch and optional storage for accessories



## CA80/100. Functional front attachment

CA80/100 can be fitted with a front squeegee that is controlled by means of a pedal on the rear of the machine so that drying operations are made easier



Easily removable fabric filter for dust suction



Easily removable sponge wet suction filter

Thanks to the good balance between the handle and the rear wheels, the suction unit can be tilted right down to the ground to make it easier to empty the tank.



The tank has a built-in handle to make it easier to empty.



The practical hook on the rear of the suction unit makes it easier to empty the tank when direct discharge of dirty water into a drain well is not possible.



Accessories are gathered inside a built-in net pouch to always have them within reach

## CA30/60 Suitable for vacuum cleaning of small size areas such as offices, laboratories and small workshops

CA30/60 are professional vacuum cleaners with a very powerful single motor.

User-friendly and manoeuvrable, they now have a new design which includes a built-in accessory holder.

In this way any accessory which may be required for accurate vacuum cleaning is always within reach and kept in order.

## CA80/100. Suitable for vacuum cleaning of medium to large-size areas

CA80/100 are the largest vacuum cleaners in the commercial range. They have a very spacious tank and, despite their size, are extremely practical and user-friendly.

Thanks to an additional front attachment, also wet vacuum cleaning is possible and excellent surface drying is ensured.



Simple coupling system  
for the suction hose



Easily removable fabric filter  
for dust suction



Easily removable sponge filter  
for wet vacuum cleaning



Large rubberised non-marking wheels:  
rear fixed wheels and front pivoting castors  
for better stability



Thanks to the  
ergonomically designed  
handle these vacuum  
cleaners are easy  
to transport in any  
operating condition



## CA15 PLUS/CA15 SILENZIO

### CA15 PLUS: for powerful suction.

Powerful (290 mBar), quiet, 61 dB (A), complete in every detail. It includes a superb filtering system. It has a system that enables the power cable to be changed quickly in the event of damage.

### CA15 SILENZIO: quiet and versatile.

Vacuum cleaner with excellent performance levels; in addition to the functionality of Plus model it has a very low noise level, **53 dB (A)** (adjusted to 500 W power) with a low consumption but powerful motor; CA15 Silenzio can be gentle but efficient when discretion and functionality are requested.

Thanks to the technical innovations, it's the only one of its kind on the market, and the series filtering system feeds clean air back into the environment.



#### CA15 PLUS - CA15 SILENZIO

Easy maintenance.

The mains cable can be easily replaced even by non-professional personnel simply turning the cable-blocking knob.



#### CA15 PLUS - CA15 SILENZIO

100% pure air.

The exhaust air is to prevent motor impurities reaching the external environment. Using an HEPA filter (optional), the vacuum cleaner can be certified for "clean room"



#### CA15 PLUS - CA15 SILENZIO

- A rear removable rack, designed for tools storage; you'll have everything handy, but above all you won't lose anything.
- A handy additional socket for powering an electric brush (optional), for precise cleaning (rugs, carpets, etc.)
- The indicator light near the ON/OFF switch shows when the bag is full and needs to be replaced.
- A handy foot switch command speeds up the ON/OFF operations.



#### CA15 PLUS - CA15 SILENZIO

The cartridge filter not only improves the filtering system but also prevents dirt reaching the motor if the bag breaks.



#### CA15 SILENZIO

Use the potentiometer knob for power adjustment



#### CA15 SILENZIO

The telescopic extension, the brush with wheels, and a handy tool for cleaning wooden floors, these are the high-quality accessories of this small vacuum cleaner.

**Available filters and accessories for CA15**  
(S): standard - (O): optional - (N): not available

 Double-layered paper filter bag CA 15 ECO (S) CA 15 PLUS (S) CA 15 SILENZIO (S)	 Re-usable cotton bag CA 15 ECO (O) CA 15 PLUS (O) CA 15 SILENZIO (O)	 Inlet air filter CA 15 ECO (S) CA 15 PLUS (O) CA 15 SILENZIO (O)
 Intake air cartridge filter CA 15 ECO (O) CA 15 PLUS (S) CA 15 SILENZIO (S)	 Washable cartridge filter CA 15 ECO (O) CA 15 PLUS (O) CA 15 SILENZIO (O)	 H.E.P.A. intake air micro cartridge filter CA 15 ECO (O) CA 15 PLUS (O) CA 15 SILENZIO (O)
 Outlet air filter CA 15 ECO (S) CA 15 PLUS (S) CA 15 SILENZIO (S)	 Exhaust active carbons filter CA 15 ECO (O) CA 15 PLUS (O) CA 15 SILENZIO (O)	 Outlet air H.E.P.A. filter CA 15 ECO (O) CA 15 PLUS (N) CA 15 SILENZIO (S)
 H.E.P.A. exhaust micro air filter CA 15 ECO (N) CA 15 PLUS (O) CA 15 SILENZIO (O)	 Quick change cable CA 15 ECO (N) CA 15 PLUS (S) CA 15 SILENZIO (O)	 HV quick change cable CA 15 ECO (N) CA 15 PLUS (O) CA 15 SILENZIO (S)
 Accessories holder CA 15 ECO (O) CA 15 PLUS (S) CA 15 SILENZIO (S)	 Telescopic extension Ø32 CA 15 ECO (O) CA 15 PLUS (N) CA 15 SILENZIO (S)	









**Available filters and accessories for CA30/60/80/100**  
(S): standard - (O): optional - (N): not available

 Sponge filter CA 30/60/80/100 (S)	 Permanent fabric filter CA 30/60/80/100 (S)
 Intake air cartridge filter CA 30/60/80/100 (O)	 Paper filter bag CA 30/60/80/100 (O)
 H.E.P.A. micro cartridge filter CA 30/60/80/100 (O)	 Nylon filter CA 30/60/80/100 (O)
 Washable cartridge filter CA 30/60/80/100 (O)	



\* Optional

TECHNICAL DESCRIPTION		CA15 ECO	CA15 PLUS	CA15 SILENZIO	CA30	CA60	CA80	CA100
Voltage	V/Hz	230-240/50-60	230-240/50-60	230-240/50-60	230-240/50-60	230-240/50-60	230-240/50-60	230-240/50-60
Motor (No.)	-	Ametek (1)	Ametek (1)	Ametek (1)	Ametek (1)	Ametek (1)	Ametek (1)	Ametek (1)
Stages (No.)	-	Single-stage	Single-stage	Single-stage	Two-stage	Two-stage	Two-stage	Two-stage
Power	W	1000	1200	1000/500	1100	1100	1350	1350
Suction vacuum	mm/H2O-mBar-kPa	2200-220-22	2900-290-29	2200-220-22 1300-130-13	2200-220-22	2200-220-22	2500-250-25	2500-250-25
Air flow	l/m-m <sup>3</sup> /h	2940-176	3000-180	2940-176 2100-126	3240-194	3240-194	3540-212	3540-212
Total tank capacity	l	13	13	13	25	43	80	110
Usable tank capacity	l	6	6	6	18	34	60	88
Cable length	m	10	10	15	7	7	7	7

	 Sound pressure level LpA dB(A) (IEC 704/1)	 Dust	 Liquids	 Material	 Machine weight kg	 Machine dimensions mm L x H x W
CA15 ECO	59	•	-	ppl	7	410x390x340
CA15 PLUS	61	•	-	ppl	7	410x390x340
CA15 SILENZIO	60/53	•	-	ppl	7	410x390x340
CA30	69	•	•	PEHD	7	430x560x400
CA60	69	•	•	PEHD	7,5	430x760x400
CA80	70	•	•	PEHD	18	580x950x480
CA100	70	•	•	PEHD	20	600x1050x480

The machine is manufactured in compliance with the directives 98/37 CEE, 73/23 CEE, 2004/108 EC, according to the technical regulations EN 60335-1, EN 292.



The steel parts are subject to treatment which guarantees a long life and makes the parts oxidation-proof.

**KEY WORDS:**



E - Mains-powered machine with voltage value



**COMAC spa**  
Via Ca' Nova Zampieri, 5  
37057 San Giovanni Lupatoto - Verona - Italy  
Tel. +39 045 8774222 - Fax +39 045 8750303  
on line: www.comac.it - e-mail: com@comac.it

An ISO 9001:2000 Organisation certified by Q.C.B. Italy